


Product environmental attributes - IT Eco Declaration 2003

Brand	Acer	 Empowering People
Manufacturer	Acer Inc.	
Manufacturer's representative	Name: Easy Lai e-mail: easy_lai@acer.com.tw	
Contact person	Name: Allan Sonne-Schmidt e-mail: allan_sonne-schmidt@acer-euro.com	
Postal address	Linde Allé 5B	
Postal code /City/ Country	DK-2850 Nærum	
Telephone (incl. country code)	+45 39 16 88 00	
Mobile phone (incl. country code)	+45 25 27 88 11	
Fax (incl. country code)	+45 39 16 88 01	
Internet site	www.acer-euro.com	
Additional information	<i>"The IT Eco Declaration covers the product base model only. If optional items with moving parts are added, like extra hard disks or graphic cards with fans etc, these can change energy and acoustics values for which Acer can take no responsibility."</i>	

This declaration covers the below listed Information Technology product categories* with specified product identity (ID) such as type/model number.		
<input checked="" type="checkbox"/> Computer system unit CPU	<input type="checkbox"/> Mobile/portable computer	<input type="checkbox"/> Server
<input type="checkbox"/> Display/ monitor	<input type="checkbox"/> Keyboard	Digital <input type="checkbox"/> Projector <input type="checkbox"/> Camera
<input type="checkbox"/> Printer <input type="checkbox"/> Copier <input type="checkbox"/> Fax <input type="checkbox"/> Multifunction product <input type="checkbox"/> Scanner	<input type="checkbox"/> Other IT product, specify:	
<input type="checkbox"/> Black/white <input type="checkbox"/> Colour Pages per minute:		
Product identity	Veriton M460	
Issue date	24 Dec. 07	
Guideline document (Version of Guideline document used for completion of this declaration (month, year))	June, 2004	

This IT Eco Declaration consists of three documents:

- Company environmental profile: Divided into two sections, legal and market requirements
- Product environmental attributes: Divided into two sections, legal and market requirements
- Guideline document with extensive clarifications, comments and references.

The latest version of all these documents can be downloaded from: www.itecodeclaration.org

Notes:

Voluntary vs compulsory requirements: Items marked V are voluntary to answer, all other items must be answered.

The latest version of the Guideline document must be used. Specify in table above according to which version of the guideline document this declaration has been completed.

This version of the IT Eco Declaration is adjusted to the document "Product-related Environmental Attributes", issued by the European Association for Standardizing Information and Communication Systems (ECMA), TR/70, version 1999.

This version of the IT Eco Declaration meets the basic principles of ISO14021:1999, Environmental labels and declarations – Self-declared environmental claims (Type II environmental labelling).


When references are given to standards like ISO, IEC and EN, the latest version should always be referred to.

For telecommunication products, use eco declaration for telecommunication products.


This IT Eco Declaration version can be used from October 1st 2003 and shall be used for products announced after December 1st 2003.

The IT Eco Declaration is a system for declaration of environmental aspects of IT and telecom products, developed by the Nordic IT organisations, IT-Företagen in Sweden, ITB in Denmark, IKT-Norge in Norway and TTK ry in Finland.


This IT Eco Declaration may only be used after having signed a contract with at least one of these organisations.

Product identity	Veriton M460	Logo	
Issue date	24 Dec. 07		

Product environmental attributes - Legal requirements		Requirement met		
Item	Additional information regarding each item may be found under P14.	Yes	No	n.a.
P1 Environmental conscious design				
P1.1	Product parts are free from, i.e. less than 0.1% by weight (b.w.), CFCs & HCFCs, asbestos, PCB & PCT (3093/94/EEC, 76/769/EEC, 6th amendment, 99/77/EEC, 82/828/EEC)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
P1.2	Components are free from, i.e. less than 0.1% b.w., mercury (Hg), except for small amounts of mercury which are allowed in light sources. (SE SFS 1998:944)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
P1.3	Cadmium (Cd) content of colorants, stabilizers, and surface treatments does not exceed, 0.01% b.w., as specified in 76/769/EEC, 10th amendment, 1991/338/EEC.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
P1.4	Paints are free from lead (Pb), i.e. less than 0.1% b.w., (76/769/EEC, 8th amendment, 89/677/EEC)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P1.5	Paints, coatings, plastics, rubbers and seals are free from flame retardants and/or plasticizers containing Short Chain Chlorinated Paraffines (SCCPs) with more than 0,1% by weight, 10-13 carbon atoms, minimum 48% chlorine by weight, CAS number 63449-39-8 (NO MVD regulation 1544, 2000.12.13 and FI 416/2003).	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P1.6	If the product is intended for direct and prolonged skin contact, the surfaces do not release nickel (Ni) above levels specified in (76/769/EEC, 8th amendment, 94/27/EEC)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P2 Batteries				
P2.1	If hazardous batteries are used in the product, they are labelled. (93/86/EEC).	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P2.2	If batteries are used in the product they are free (<0.0005% by weight) from mercury (Hg) (98/101/EC)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P3 Electrical safety, EMC and connection to the telephone network				
P3.1	The product meets the Low Voltage Directive (LVD) regarding electrical safety (73/23/EEC & 93/68/EEC)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P3.2	The product meets the EMC Directive regarding electromagnetic compatibility (89/336/EEC)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P3.3	If product is intended for connection to a public telecom network or contains a radio transmitter, it meets the EU R&TTE Directive (1999/5/EC)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P3.4	The product is CE-marked (93/68/EEC)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
P4 Consumable materials				
P4.1	If a photo conductor (drum, belt etc.) is used in the product, it is free (<0.01% by mass) from cadmium (Cd) (76/769/EEC and 91/338/EEC)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
P4.2	If an ink is used in the product, it is free (<0.01% by mass) from cadmium (Cd) (91/338/EEC)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
P4.3	If toner/ink (or corresponding) are used in the product, they are classified and if required labelled in accordance with EU directives	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
P5 Packaging materials				
P5.1	The sum of the concentration levels of lead, cadmium, mercury, and hexavalent chromium present in packaging or packaging components does not exceed 0.01% by weight (100 ppm). (94/62/EC).	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
P5.2	The product packaging material is free from CFC/HCFC.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
This product meets above listed legal requirements		<input checked="" type="checkbox"/>	<input type="checkbox"/>	

Product Identity	Veriton M460	Logo	
Issue date	24 Dec. 07		

Product environmental attributes - Market requirements		Requirement met		
Item	V = Voluntary to answer. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P6 Environmental conscious design				
Disassembly, recycling				
P6.1	Gluing/welding of different material has been avoided.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
P6.2	Plastic materials in covers/housing are free from surface coating.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
P6.3	Mechanical plastic parts >100g, consist of one material or of easily separable materials.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
P6.4	Plastic parts >25g, have material codes according to ISO 11469.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
P6.5	V Plastic parts are free from metal inlays or have inlays that can be removed with commonly available tools.	<input type="checkbox"/>	<input type="checkbox"/>	
P6.6	If labels are required they should be separable. (This requirement does not apply to safety labels).	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Product lifetime				
P6.7	Upgrading of the product can be done with commonly available tools	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P6.8	Processor, memory and cards of various types can be changed/upgraded.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P6.9	Hard disk, CD/DVD drives and / or floppy drive can be changed/upgraded.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P6.10	V Spare parts are available after end of production for: 3 years			<input type="checkbox"/>
Material requirements				
P6.11	Plastic parts >25g are free from PBB/PBDE, i.e less than 0.1% b.w.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
P6.12	V Plastic parts >25g are free from flame retardant substances/preparations above 0.1% classified as R45/46, R50/51/52/53 and R60/61 (67/548/EEC)	<input type="checkbox"/>	<input type="checkbox"/>	
P6.13	Chemical specification of flame retardants in plastic parts >25g according to ISO 1043-4 declared below: Product cover/ housing: >ABS< Printed circuit boards: >T.B.B.A< V Other plastic parts:	<input type="checkbox"/> Not flame retarded	<input type="checkbox"/>	<input type="checkbox"/>
		<input type="checkbox"/> Not flame retarded	<input type="checkbox"/>	<input type="checkbox"/>
		<input type="checkbox"/> Not flame retarded	<input type="checkbox"/>	<input type="checkbox"/>
P6.14	Product cover/housing material type, specified according to ISO 1043-1 Material type >ABS< Material type >Fe+Zn< Material type			
P6.15	Electrical cable insulation material specification <input checked="" type="checkbox"/> PVC <input type="checkbox"/> Other			
P6.16	V Light sources are free from mercury, i.e less than 0.1% b.w. If mercury is used specify: Number of lamps & max. mercury per lamp mg	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
P6.17	V Mechanical plastic parts > 25g are free from lead (Pb), i.e. less than 0.1% b.w.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
P6.18	V Product parts are free from beryllium (Be) and beryllium oxide (BeO), i.e. less than 0.1% b.w.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
P7 Batteries				
P7.1	Product is free from batteries defined as hazardous (91/157/EEC)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
P7.2	V Batteries are used that meet the European eco-label (EU Flower) criteria (2001/687/EC & 2001/686/EC)	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
P8 Energy consumption				
P8.1	V Maximum power 250 W <input type="checkbox"/> n.a. <input type="checkbox"/> V Operation 175.60 W <input type="checkbox"/> n.a. <input type="checkbox"/> Low power/ Idle mode 81.30 W <input type="checkbox"/> Standby/ Off mode 2.50 W <input type="checkbox"/> Sleep mode 2.20 W <input type="checkbox"/> Deep sleep mode W <input checked="" type="checkbox"/>			
If the product is in Stand by mode, it reverts to:				
	Low power mode in 0.5 min <input type="checkbox"/> Sleep mode in min <input checked="" type="checkbox"/>			
	V Deep sleep mode in min <input checked="" type="checkbox"/> V Off mode in min <input checked="" type="checkbox"/>			
P8.2	2-sided printing/copying (duplex) from 1-sided originals is an integrated product function.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
P8.3	Information about the energy save function is given in the user documentation. (Not applicable when no instruction is needed to operate the energy save function, i.e. the energy save function cannot be adjusted or inhibited by the user.)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P8.4	The product meets the requirements of ENERGY STAR®.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P8.5	V The product meets the requirements of GEEA.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
P8.6	V Display meets the energy save requirements of the European eco-label (EU Flower) (2001/686/EC & 2001/687/EC). V Desktop or portable computer meets the energy save requirements of the European eco-label (EU Flower) (2001/686/EC & 2001/687/EC)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
		<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Product Identity	Veriton M460	Logo	
Issue date	24 Dec. 07		

Product environmental attributes - Market requirements (continued)		Requirement met		
Item	V = Voluntary to answer. Additional information regarding each item may be found under P14.	Yes	No	n.a.
P9 Noise characteristics (Measured and declared according to ISO 7779 and ISO 9296)				
P9.1	Declared A-Weighted Sound Power Level, LWAd (1B = 10 dB) Operating mode: LWAd: B Idling mode: LWAd: B			<input type="checkbox"/>
P9.2	V The product meets the acoustic noise requirement of:	TCO <input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
		Blue Angel <input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
		European eco-label (EU Flower) <input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
		Nordic Swan <input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
P9.3	V Declared A-Weighted Sound Pressure Level, LpAm (measured at the operator position if applicable; otherwise measured at the 1m bystander positions). Operating mode: LpAm: 34.90 dB Idling mode: LpAm: 30.70 dB Test position: LpAm: <input checked="" type="checkbox"/> Operator position <input type="checkbox"/> Bystander positions Test position for PC tower LpAm: <input checked="" type="checkbox"/> Table top <input type="checkbox"/> Floor standing			<input type="checkbox"/>
P10 Emissions				
P10.1	Chemical emission test performed according to RAL-UZ <input type="checkbox"/> , other standard <input type="checkbox"/> , specify: The test covers: Dust <input type="checkbox"/> Ozone <input type="checkbox"/> Styrene <input type="checkbox"/> TVOC <input type="checkbox"/> Benzene <input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
P10.2	V The product meets the requirement for chemical emission in:	TCO <input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
		Blue Angel <input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
		Nordic Swan <input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
P10.3	Display/monitor/portable computer meets the requirement for low frequency electromagnetic fields in:	MPR-II <input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
		TCO <input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
		prEN50279- A <input type="checkbox"/> , -B <input type="checkbox"/> , -C <input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
P11 Consumable materials				
P11.1	The photo conductor is free from selenium.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
P11.2	If the photo conductor contains selenium there is a system for waste recovery.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
P11.3	V Safety Data Sheet/Material Safety Data Sheet (SDS/MSDS) is available for toner/ink (99/45/EC & 2001/58/EC)	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
P11.4	V Paper containing recycled fibres and meeting requirements of ENV12281 can be used in the product.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
P12 Ergonomics				
P12.1	The computer system meets the ergonomic requirements of EN 29241-3, -7, -8 for CRT displays and EN-ISO 13406-2 for flat panel displays.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
P12.2	The product keyboard meets the requirements of ISO 9995 and EN 29241-4.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P12.3	The computer input device meets the requirements of ISO 9241-9.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P13 Packaging and documentation				
P13.1	Product packaging: Material type(s): Papers (Cartons, manual, etc.) Weight (g): 1800 Plastic (PE bags, Cushions, handle of carton, etc.) Weight (g): 460			<input type="checkbox"/>
P13.2	V Plastic packaging material is marked according to DIN 6120, ISO 11469 or ISO 1043, 1-4.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P13.3	V Product plastic packaging is free from chlorine	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P13.4	V User and product documentation are free from chlorine bleached paper	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
P14 Additional information				